



Tork Advanced Toilet Paper Mini Jumbo Roll



article: 120281

system: T2 - Mini jumbo toilet system

Layers: 2

Colour: White

Print: yes

Embossing: yes

Roll Width: 10 cm

Roll Length: 170 m

Number of Sheets: 1214

product properties

- Suitable for medium intensity events
- Good quality
- Economical roll length

shipping data

consumer unit:

EAN: 7322540036251

pieces: 1

height: 100 mm

width: 185 mm

length: 185 mm

volume: 3.422 cdm

net weight: 588.2 g

gross weight: 612 g

transport unit:

EAN: 7322540036268

pieces: 12

consumer units: 12

material: Carton

height: 311 mm

width: 386 mm

length: 392 mm

volume: 47.058 cdm

net weight: 7.058 kg

gross weight: 7.811 kg

Recycled fibres

Chemicals

Recycled fibres

Recovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important.





The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free) (where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view .

The used functional chemicals are:

Dry strength agent

If coloured = Dye

Fixing agents

Fluorescent whitening agent

Glue

Softeners

The process chemicals are:

Antipitch

Protection agent

Yankee coating





Defoamer

Dispersing agents and surfactants

pH and charge control

Retention aids

Broke treatment chemicals

Drainage aid

Packaging

Fulfillment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label

Approved and labeled according to Swan. License no. 305003.

Date of issue 2007-08-27

Revision date 2009-11-02

SCA Hygiene Products AB, 405 03 Göteborg, SE

This product is produced in Lilla Edet mill, Sweden, certified according to ISO 9001, ISO 14001.

This product is suitable to be taken care of in the normal sewage system of the community.

