

Colour: White



Benefit

- •QuickDry: dries hands quickly and thoroughly
- •Extra soft: gentle on the hands with a high quality feel
- •Transparent leaf pattern
- •Tork Easy handling features: Easy to open, easy to flatten and easy to carry away



Product properties

| Article | System | Unfolded Length | Unfolded Width | Folded Length | Folded Width | Ply | Print | Embossing | Colour |
|---------|--|--------------------|-------------------|------------------|--------------|-----|-------|-----------|--------|
| 100278 | H3 - C-fold and ZZ- fold/Singlefol d system | 23 cm | 22.6 cm | 11.5 cm | 22.6 cm | 2 | No | Yes | White |

Description

The Tork Singlefold Hand Towel system provides single sheet dispensing. This system is ideal for public environments



Shipping data

TORK

Consumer unit

| EAN | 7322540544718 | | | |
|--------------|---------------|--|--|--|
| Pieces | 200 | | | |
| Material | Banderole | | | |
| Height | 130 mm | | | |
| Width | 115 mm | | | |
| Length | 226 mm | | | |
| Volume | 3.4 dm3 | | | |
| Net weight | 426 g | | | |
| Gross weight | 434 g | | | |

Transport unit

| EAN | 7322540544725 |
|----------------|---------------|
| Pieces | 3000 |
| Consumer units | 15 |
| Material | Carton |
| Height | 250 mm |
| Width | 406 mm |
| Length | 596 mm |
| Volume | 60.5 dm3 |
| Net weight | 6.39 kg |
| Gross weight | 7.13 kg |





Environmental

Content

Virgin pulp fibres Chemicals

Material

Virgin fibre

Virgin pulp fibres are produced out of softwood or hardwood. The process is either sulphite or sulphate delignification, meaning that e.g. lignins and resins are removed from cellulosic material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching: ECF (elementary chlorine free), where chlorine dioxide is used, and TCF (totally chlorine free), where ozone, oxygen and hydrogen peroxide are used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view .

The used functional chemicals are: Wetstrength agent Dry strength agent Dye = if coloured Fixing agents Glue = if used

The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants





Colour: White

pH and charge control Retention aids Broke treatment chemicals Drainage aid

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Food Contact

This product fulfils the legislative requirements for Food Contact materials, confirmed by external certification performed by a third party. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.

Environmental label = EU Ecolabel This product is certified according to FSC.

Date of issue 2013-09-18 Revision date 2014-05-26

SCA Hygiene Products AB, 405 03 Göteborg, Sweden

Production

Material produced and converted at Kostheim mill, Germany, certified according to ISO 9001:2000, ISO 14001 and EMAS

Destruction

This product is mainly used for personal hygiene and can be collected together with household waste.

